

Jargon Buster

This page is based on the original MERG glossary.

Before adding entries, please read [guide to adding entries](#) a how to do it for MERG Members.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

A

[AC](#) - Alternating Current

[Accessory decoders](#)

[Accessory encoder](#)

[Address](#)

[Agile](#)

[Amplifier](#)

[AM](#) - Amplitude Modulation

[Amps or Ampere](#) - The measure of electrical current flow

[Analogue](#)

[AND](#)

[API](#) - Application Program Interface

[Arduino](#)

[ASCII](#) - American Standard Code for Information Interchange

[ASCII Hex](#) - Hexadecimal

[Aspect](#)

[At-Bus](#) - (Layout) Control Bus

[ATC](#) - Automatic Train Control

[Auto Reverse Module](#)

[AVR](#) - Microcontroller family

[AWG](#) - American Wire Gauge

B

[Back EMF](#) - Back Electromotive Force

[Baud](#)

[BC3](#)

[Bell signals](#)

[BGA](#) - Ball Grid Array

[Bipolar](#)

[Bistable](#)

[Bit](#)

[Bite](#)

[BJT](#) - Bipolar Junction Transistor

[Block Control](#)

[Block occupancy](#)

[BloNg](#) - Block oriented N-Gauge

[Boolean](#)
[Booster](#)
[BootLoader](#)
[Bps - Bits per second](#)
[Bridge rectifier](#)
[Buffer](#)
[Bus](#)
[Byte](#)

C

[C/MRI - Computer/Model Railroad Interface](#)
[Cab Control](#)
[Cabling](#)
[CAN or CAN BUS - Controller Area Network](#)
[CAN related projects from MERG - CBUS Modules](#)
[Capacitor](#)
[CARLOS - Computer Aided Railway Layout Operating System](#)
[CBUS - \(Layout\) Control Bus](#)
[CDC - Communications Device Class](#)
[CDU - Capacitor Discharge Unit](#)
[CE Mark - Conformité Européenne](#)
[Ceramic](#)
[Channel](#)
[Charlieplexing](#)
[Circuit](#)
[Circular Buffer - FiFo](#)
[Clearing Point](#)
[Clock](#)
[Closed loop](#)
[CMOS - Complementary Metal-Oxide-Semiconductor](#)
[Coil](#)
[Colour Light](#)
[COM Port - Communication Port](#)
[Command Station](#)
[Common](#)
[Common Return Wiring](#)
[Computer Control Software](#)
[Conductor](#)
[Consist](#)
[Control Systems](#)
[Crystal](#)
[Current](#)
[Current Shunt](#)
[CV - Configuration Variable](#)

D

[D Type Connector](#)

[DC](#) - Direct Current

[DC Control](#)

[DCC](#) - Digital Command Control

[DCC-EX](#)

[DCO](#) - District Cut-Out

[DCT](#) - see [DTC](#)

[Debounce](#)

[DecoderPro](#)

[Decoupling Capacitor](#)

[Digital](#)

[Digitrax](#)

[DIL Socket](#) - Dual In-Line socket

[Diode](#)

[Dirty PSU](#) - Dirty Power Supply Unit

[DPDT](#) - Double Pole Double Throw

[DPR](#) - Double Pole Relay

[DPST](#) - Double Pole Single Throw

[Driver](#)

[DTC](#) - DCC Track Circuit

E

[EDG](#) - Event Data Grid

[EEPROM](#) - Electrically Erasable Programmable Read-Only Memory

[Electro Frog](#)

[Electromagnet](#)

[EMF](#) - Electromotive Force

[Engine Driver](#) - Android Throttle Application

[EPROM](#) - Erasable Programmable Read-Only

[ESD](#) - Electro Static Discharge

[ESR](#) - Equivalent Series Resistance

[EV](#) - Event Variable

[Event](#)

F

[Faller](#)

[FallerCarSystem](#)

[Fast clock](#)

[FCU](#) - Full layout implementation model Configuration Utility

[Feathers](#)

[FDM](#) - Fused Deposition Modeling (3D Printing)

[FET](#)- Field Effect Transistor

[FIFO - First In First Out](#)

[Firmware](#)

[Flag](#)

[Flash Memory](#)

[FLiM - Full Layout implementation Model](#)

[Flip flop](#)

[FM - Frequency Modulation](#)

[Frequency](#)

[FSM - Finite State Machine](#)

[Fuse](#)

G

[Gerber image](#)

[GIT repository](#)

[GPP software](#)

[GPIO - General Purpose Input and Output](#)

[Ground](#)

H

[Hall effect](#)

[Handset](#)

[Handshaking](#)

[Happening](#)

[HASL - Hot Air Solder Leveling](#)

[Header plug or socket](#)

[Heat sink](#)

[Hector](#)

[Hexadecimal or Hex](#)

[High](#)

[HO Scale](#)

[HYPOTRAC](#)

[Hysteresis](#)

[Hysteresis loop](#)

I

[ICs - Integrated Circuits](#)

[ICSP - In Circuit Serial Programming](#)

[Incandescent lamps](#)

[Include Guard - also pragma once](#)

[Inductor](#)

[Infrared emitter](#)

[Infrared receiver/detector](#)

[Insulfrog](#)
[Interlocking](#)
[ISR](#) - Interrupt Service Routine

J

[JAL](#) - Just Another Language
[Java](#)
[JMRI](#) - Java Model Railroad Interface

K

[Kits](#)
[KnowledgeBase](#)
KSM Kit Sales Manager - email on the Kitlocker page

L

[Latching](#) - the new state is held until it is changed
[LCB](#) - Layout Control Bus
[LCC](#) - NMRA's Layout Command Control (equiv. to OpenLCB)
[LDR](#) - Light Dependent Resistor
[Lead free](#) - usually refers to a type of solder
[LED](#) - Light Emitting Diode
[LENZ](#) - European manufacturer of DCC equipment
[LiFo](#) - Last in First out
[Lighting decoder](#)
[Logic](#) - refers to circuits or calculations on binary information
[Long Event](#) - 32-bit eventid

M

[Magnet](#)
[Matrix](#)
[Memory Wire](#)
[Microprocessor](#)
[MMC](#) - MERG Management Committee.
[MMC](#) - Module Management Console for the configuration and management of CBUS and VLCB modules.
[Mobile decoder](#)
[Modulation](#)
[MOMS](#) - MERG Online Membership System
[Monostable](#)

[MOSFET](#) - Metal-Oxide-Semiconductor Field-Effect Transistor

[MSAG](#) - MERG Somerset Area Group

[Multiplexor](#)

N

[NAND](#) - Not AND

[Negative](#)

[NMRA](#) - National Model Railroad Association

[NMRAnet](#) - Early Layout Command Control

[NOR](#) - Not OR

[NPN](#) - Type of transistor

[NV](#) - Node Variable

O

[Octal Darlington Arrays](#)

[Ohms](#)

[OP](#) - Original Post(er)

[Op amp](#)

[Open collector](#)

[OpenLCB](#) - Open Layout Control Bus (equiv to LCC)

[Optical detector](#)

[Opto-isolator](#)

[OR](#)

[Oscillation](#)

[Oscilloscope](#)

P

[Parallel](#)

[PCB](#) - Printed Circuit Board

[PCB software](#)

[Peco motor](#)

[PEI](#) - Polyetherimide

[Phase](#)

[PIC](#) - Peripheral Interface Controller

[PICKit](#)

[PiSo](#) - Parallel in Serial out

[PLA](#) - Polylactid Acid or Programmable Logic Array

[PM](#) - Phase Modulation or Pulse Modulation

[PMD1](#)

[PMD2](#)

[PMP](#) - Pocket Money Project

[PMR1](#)

[PNP - Type of Transistor](#)

[Point Motors](#)

[Points](#)

[Polarity](#)

[Positive](#)

[POR - Power On Reset](#)

[Pot - Potentiometer](#)

[Potentiometer](#)

[Power district](#)

[Power pack](#)

[Programming](#)

[Progressive cab control](#)

[PSU - Power Supply Unit](#)

[PTP - Point to Point](#)

[PTP-Lite](#)

[Pulse](#)

[PWM - Pulse Width Modulation](#)

[Pulsed output](#)

Q

[QFN - Quad Flat No Leads - a surface mount IC package](#)

[QFP - Quad Flat Pack - a surface mount IC package](#)

[QTU - Quad Throttle Unit](#)

R

[RailCom](#)

[Raspberry Pi](#)

[RC filter - Resistance and Capacitor Filter](#)

[Rectification](#)

[Reed Switch](#)

[Regulated power supply](#)

[Relays](#)

[Resistor](#)

[Resistor network](#)

[Resonator](#)

[Reverse polarity](#)

[RFC - Request For Comment](#)

[RFID - Radio Frequency IDentification](#)

[Ring Buffer](#)

[Risk assessment](#)

[RLSC - Reversed Linked Section Control](#)

[RMS - Root Mean Square](#)

[Road Vehicle Control](#)

[Route setting](#)

[RPC - Remote Panel Control](#)

[RPI](#) - Remote Panel Interface
[RS232](#)
[RS485](#)
[RSA](#) - a MERG RS232 to RS485 converter
[RSE](#) - Remote Stack Extension
[RTC](#)
[RTFM](#) - Read The Flipping Manual
[RTOS](#) - Real-Time Operating System

S

[SABLE](#) - Stash Acquired Beyond Life Expectancy
[Schottky Diode](#)
[SD4](#) - Remote Panel Control module
[Seep motor](#)
[Semaphore](#)
[Series](#)
[Servo](#)
[Shift register](#)
[Short Event](#)
[Signalling](#)
[SiPo](#) - Serial in Parallel out
[SLiM](#) - Simple/Small Layout implementation Model
[Smoothing](#)
[SMPS](#) - Switch Mode Power Supply
[SoC](#) - System on Chip
[SoD](#) - Start of Day
[Solid conductor](#)
[Sound decoder](#)
[Soundtrax](#)
[SPAD](#) - Signal Passed At Danger
[SPDT](#)- Single Pole Double Throw
[SPI](#) - Serial Peripheral Interface
[Sprog](#)
[SPST](#) - Single Pole Single Throw
[SRI4](#) - Remote Panel Control module
[SRO4](#) - Remote Panel Control module
[SSI](#)
[Star network](#)
[Stationary decoder](#)
[Stay Alive](#)
[Steady state](#)
[SToC](#) - Searchable Table of Contents
[Stranded conductor](#)
[SuperBloc](#)
[SWG](#) - Standard Wire Gauge
[Switch](#)
[Switch machine](#)
[Switch mode](#)

T

[Tag strip](#)

TB - Technical Bulletin

TCC - Train Control Centre/Center

[Technical Data](#)

[Throttle/handset](#)

[Timers](#)

[Toggle](#)

TORR - Train Operated Route Release

[Tortoise motor](#)

ToTI - Train-on-Track Indicator

TOU - Turnout Operating Unit

[Track circuit](#)

[Track cleaner](#)

[Train detection](#)

[Transducer](#)

[Transformer](#)

[Transistor](#)

Tri-State - Three State output pin

[Turnout actuator](#)

TVS - Transient Voltage Suppressor

[Twinkling](#)

U

[UART or USART](#) - Universal Synchronous and/or Asynchronous Receiver/Transmitter

[Unregulated power supply](#)

USB - Universal Serial Bus

USI - Universal Serial Interface

V

[Via](#)

VCP - Virtual Communications Port

Volt The measure of electrical potential difference

[Voltage regulator](#)

W

[Watt](#)

[Welding simulator](#)

[Wiki](#)

X

[XLR Connector](#)

[XOR Gate](#) - Exclusive OR Gate

Z

[Zener diode](#)

[Zero 1](#)

[ZIF socket](#) - Zero Insertion Force socket

[ZIMO](#) - Austrian DCC supplier

[ZTC](#) - British DCC supplier

From:

https://merg.org.uk/merg_wiki/ - **Knowledgebase**

Permanent link:

https://merg.org.uk/merg_wiki/doku.php?id=glossary:start&rev=1726921719

Last update: **2024/09/21 13:28**

