

Jargon Buster

This page is based on the original MERG glossary.

Before adding entries, please read [guide to adding entries](#) a how to do it for MERG Members.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A

[AC](#) - Alternating Current

[Accessory decoders](#)

[Accessory encoder](#)

[Address](#)

[Agile](#)

[Amplifier](#)

[AM](#) - Amplitude Modulation

[Amps or Ampere](#) - The measure of electrical current flow

[Analogue](#)

[AND](#)

[API](#) - Application Program Interface

[Arduino](#)

[ASCII](#) - American Standard Code for Information Interchange

[ASCII Hex](#) - Hexadecimal

[Aspect](#)

[At-Bus](#) - (Layout) Control Bus

[ATC](#) - Automatic Train Control

[Auto Reverse Module](#)

[AVR](#) - Microcontroller family

[AWG](#) - American Wire Gauge

B

[Back EMF](#) - Back Electromotive Force

[Baud](#)

[BC3](#)

[Bell signals](#)

[BGA](#) - Ball Grid Array

[Bipolar](#)

[Bistable](#)

[Bit](#)

[Bite](#)

[BJT](#) - Bipolar Junction Transistor

[Block Control](#)

[Block occupancy](#)

[BloNg](#) - Block oriented N-Gauge

[Boolean](#)
[Booster](#)
[BootLoader](#)
[Bps - Bits per second](#)
[Bridge rectifier](#)
[Buffer](#)
[Bus](#)
[Byte](#)

C

[C/MRI - Computer/Model Railroad Interface](#)
[Cab Control](#)
[Cabling](#)
[CAN or CAN BUS - Controller Area Network](#)
[CAN related projects from MERG - CBUS Modules](#)
[Capacitor](#)
[CARLOS - Computer Aided Railway Layout Operating System](#)
[CBUS - \(Layout\) Control Bus](#)
[CDC - Communications Device Class](#)
[CDU - Capacitor Discharge Unit](#)
[CE Mark - Conformité Européenne](#)
[Ceramic](#)
[Channel](#)
[Charlieplexing](#)
[Circuit](#)
[Circular Buffer - FiFo](#)
[Clearing Point](#)
[Clock](#)
[Closed loop](#)
[CMOS - Complementary Metal-Oxide-Semiconductor](#)
[Coil](#)
[Colour Light](#)
[COM Port - Communication Port](#)
[Command Station](#)
[Common](#)
[Common Return Wiring](#)
[Computer Control Software](#)
[Conductor](#)
[Consist](#)
[Control Systems](#)
[Crystal](#)
[Current](#)
[Current Shunt](#)
[CV - Configuration Variable](#)

D

[D Type Connector](#)

[DC - Direct Current](#)

[DC Control](#)

[DCC - Digital Command Control](#)

[DCC-EX](#)

[DCO - District Cut-Out](#)

[DCT - see DTC](#)

[Debounce](#)

[DecoderPro](#)

[Decoupling Capacitor](#)

[Digital](#)

[Digitrax](#)

[DIL Socket - Dual In-Line socket](#)

[Diode](#)

[Dirty PSU - Dirty Power Supply Unit](#)

[DPDT - Double Pole Double Throw](#)

[DPR - Double Pole Relay](#)

[DPST - Double Pole Single Throw](#)

[Driver](#)

[DTC - DCC Track Circuit](#)

E

[EDG - Event Data Grid](#)

[EEPROM - Electrically Erasable Programmable Read-Only Memory](#)

[Electro Frog](#)

[Electromagnet](#)

[EMF - Electromotive Force](#)

[Engine Driver - Android Throttle Application](#)

[EPROM - Erasable Programmable Read-Only](#)

[ESD - Electro Static Discharge](#)

[ESR - Equivalent Series Resistance](#)

[EV - Event Variable](#)

[Event](#)

F

[Faller](#)

[FallerCarSystem](#)

[Fast clock](#)

[FCU - Full layout implementation model Configuration Utility](#)

[Feathers](#)

[FDM - Fused Deposition Modeling \(3D Printing\)](#)

[FET- Field Effect Transistor](#)

[FIFO - First In First Out](#)
[Firmware](#)
[Flag](#)
[Flash Memory](#)
[FLiM - Full Layout implementation Model](#)
[Flip flop](#)
[FM - Frequency Modulation](#)
[Frequency](#)
[FSM - Finite State Machine](#)
[Fuse](#)

G

[Gerber image](#)
[GIT repository](#)
[GPP software](#)
[GPIO - General Purpose Input and Output](#)
[Ground](#)

H

[Hall effect](#)
[Handset](#)
[Handshaking](#)
[Happening](#)
[HASL - Hot Air Solder Leveling](#)
[Header plug or socket](#)
[Heat sink](#)
[Hector](#)
[Hexadecimal or Hex](#)
[High](#)
[HO Scale](#)
[HYPOTRAC](#)
[Hysteresis](#)
[Hysteresis loop](#)

I

[ICs - Integrated Circuits](#)
[ICSP - In Circuit Serial Programming](#)
[Incandescent lamps](#)
[Include Guard - also pragma once](#)
[Inductor](#)
[Infrared emitter](#)
[Infrared receiver/detector](#)

[Insulfrog](#)
[Interlocking](#)
[ISR](#) - Interrupt Service Routine

J

[JAL](#) - Just Another Language
[Java](#)
[JMRI](#) - Java Model Railroad Interface
[JSON](#)

K

[Kits](#)
[KnowledgeBase](#)
KSM Kit Sales Manager - email on the Kitlocker page

L

[Latching](#) - the new state is held until it is changed
[LCB](#) - Layout Control Bus
[LCC](#) - NMRA's Layout Command Control (equiv. to OpenLCB)
[LDR](#) - Light Dependent Resistor
[Lead free](#) - usually refers to a type of solder
[LED](#) - Light Emitting Diode
[LENZ](#) - European manufacturer of DCC equipment
[LiFo](#) - Last in First out
[Lighting decoder](#)
[Logic](#) - refers to circuits or calculations on binary information
[Long Event](#) - 32-bit eventid

M

[Magnet](#)
[Matrix](#)
[Memory Wire](#)
[Microprocessor](#)
[MMC](#) - MERG Management Committee.
[MMC](#) - Module Management Console for the configuration and management of CBUS and VLCD modules.
[Mobile decoder](#)
[Modulation](#)
[MOMS](#) - MERG Online Membership System

[Monostable](#)

[MOSFET](#) - Metal-Oxide-Semiconductor Field-Effect Transistor

[MSAG](#) - MERG Somerset Area Group

[Multiplexor](#)

N

[NAND](#) - Not AND

[Negative](#)

[NMRA](#) - National Model Railroad Association

[NMRAnet](#) - Early Layout Command Control

[NOR](#) - Not OR

[NPN](#) - Type of transistor

[NV](#) - Node Variable

O

[Octal Darlington Arrays](#)

[Ohms](#) - a measurement of electrical resistance

[OP](#) - Original Post(er)

[Op amp](#) - operational amplifier, often refers to an electronic chip

[Open collector](#) - a circuit with a transistor that not connected

[OpenLCB](#) - Open Layout Control Bus (equiv to LCC)

[Optical detector](#)

[Opto-isolator](#)

[OR](#) - a logical operation similar to arithmetic addition

[Oscillation](#)

[Oscilloscope](#) - an electronics instrument that displays waveforms

P

[Parallel](#)

[PCB](#) - Printed Circuit Board

[PCB software](#)

[Peco motor](#)

[PEI](#) - Polyetherimide

[Phase](#)

[PIC](#) - Peripheral Interface Controller

[PICKit](#)

[PiSo](#) - Parallel in Serial out

[PLA](#) - Polylactid Acid or Programmable Logic Array

[PM](#) - Phase Modulation or Pulse Modulation

[PMD1](#)

[PMD2](#)

[PMP](#) - Pocket Money Project

[PMR1](#)

[PNP - Type of Transistor](#)

[Point Motors](#)

[Points](#)

[Polarity](#)

[Positive](#)

[POR - Power On Reset](#)

[Pot - Potentiometer](#)

[Potentiometer](#)

[Power district](#)

[Power pack](#)

[Programming](#)

[Progressive cab control](#)

[PSU - Power Supply Unit](#)

[PTP - Point to Point](#)

[PTP-Lite](#)

[Pulse](#)

[PWM - Pulse Width Modulation](#)

[Pulsed output](#)

Q

[QFN - Quad Flat No Leads - a surface mount IC package](#)

[QFP - Quad Flat Pack - a surface mount IC package](#)

[QTU - Quad Throttle Unit](#)

R

[RailCom](#)

[Raspberry Pi](#)

[RC filter - Resistance and Capacitor Filter](#)

[Rectification](#)

[Reed Switch](#)

[Regulated power supply](#)

[Relays](#)

[Resistor](#)

[Resistor network](#)

[Resonator](#)

[Reverse polarity](#)

[RFC - Request For Comment](#)

[RFID - Radio Frequency IDentification](#)

[Ring Buffer](#)

[Risk assessment](#)

[RLSC - Reversed Linked Section Control](#)

[RMS - Root Mean Square](#)

[Road Vehicle Control](#)

[Route setting](#)

- [RPC](#) - Remote Panel Control
- [RPI](#) - Remote Panel Interface
- [RS232](#)
- [RS485](#)
- [RSA](#) - a MERG RS232 to RS485 converter
- [RSE](#) - Remote Stack Extension
- [RTC](#)
- [RTFM](#) - Read The Flipping Manual
- [RTOS](#) - Real-Time Operating System

S

- [SABLE](#) - Stash Acquired Beyond Life Expectancy
- [Schottky Diode](#)
- [SD4](#) - Remote Panel Control module
- [Seep motor](#)
- [Semaphore](#)
- [Series](#)
- [Servo](#)
- [Shift register](#)
- [Short Event](#)
- [Signalling](#)
- [SiPo](#) - Serial in Parallel out
- [SLiM](#) - Simple/Small Layout implementation Model
- [Smoothing](#)
- [SMPS](#) - Switch Mode Power Supply
- [SoC](#) - System on Chip
- [SoD](#) - Start of Day
- [Solid conductor](#)
- [Sound decoder](#)
- [Soundtrax](#)
- [SPAD](#) - Signal Passed At Danger
- [SPDT](#)- Single Pole Double Throw
- [SPI](#) - Serial Peripheral Interface
- [Sprog](#)
- [SPST](#) - Single Pole Single Throw
- [SRI4](#) - Remote Panel Control module
- [SRO4](#) - Remote Panel Control module
- [SSI](#)
- [Star network](#)
- [Stationary decoder](#)
- [Stay Alive](#)
- [Steady state](#)
- [SToC](#) - Searchable Table of Contents
- [Stranded conductor](#)
- [SuperBloc](#)
- [SWG](#) - Standard Wire Gauge
- [Switch](#)
- [Switch machine](#)

[Switch mode](#)

T

[Tag strip](#)

[TB](#) - Technical Bulletin

[TCC](#) - Train Control Centre/Center

[Technical Data](#)

[Throttle/handset](#)

[Timers](#)

[Toggle](#)

[TORR](#) - Train Operated Route Release

[Tortoise motor](#)

[ToTI](#) - Train-on-Track Indicator

[TOU](#) - Turnout Operating Unit

[Track circuit](#)

[Track cleaner](#)

[Train detection](#)

[Transducer](#)

[Transformer](#)

[Transistor](#)

[Tri-State](#) - Three State output pin

[Turnout actuator](#)

[TVS](#) - Transient Voltage Suppressor

[Twinkling](#)

U

[UART or USART](#) - Universal Synchronous and/or Asynchronous Receiver/Transmitter

[Unregulated power supply](#)

[USB](#) - Universal Serial Bus

[USI](#) - Universal Serial Interface

V

[Via](#)

[VCP](#) - Virtual Communications Port

[Volt](#) The measure of electrical potential difference

[Voltage regulator](#)

W

[Watt](#)

[Welding simulator](#)
[Wiki](#)

X

[XLR Connector](#)
[XOR Gate](#) - Exclusive OR Gate

Z

[Zener diode](#)
[Zero 1](#)
[ZIF socket](#) - Zero Insertion Force socket
[ZIMO](#) - Austrian DCC supplier
[ZTC](#) - British DCC supplier

From:
https://merg.org.uk/merg_wiki/ - **Knowledgebase**

Permanent link:
https://merg.org.uk/merg_wiki/doku.php?id=glossary:start&rev=1726938710

Last update: **2024/09/21 18:11**

